

TeslaSCADA

Quick Start

Version 1.0

Contents

Requirements3

Setup3

Installation Procedure3

Quick start TeslaSCADA4

Requirements

The TeslaSCADA requires Android operating system and access to SD card memory.

- Android 2.3 or higher
- Read/Write access to SD card.

Setup

To install the TeslaSCADA on a mobile device the following steps must be followed.

- Copy the APK package on the device.
- Execute the APK file.

Installation Procedure


The following step-by-step instruction must be followed when copying and installing the TeslaSCADA manually from a PC.

NOTE: When installing from an android store these steps are not required.

1. Connect PC and phone with USB-cable.
2. Change USB-mode to mass storage (drag down upper menu bar).
3. Copy the installer .apk file from PC onto the phone.
4. Change USB-mode back to 'only charging' / 'none' or just disconnect USB-cable.
5. Use file manager (e.g. ES File-Explorer) navigate to the .apk (SD-card mounted under '/sdcard') and select the .apk
6. Allow access to resources and start TeslaSCADA.

Quick start TeslaSCADA

On the first startup TeslaSCADA you will see the license agreement. You should approve it before using the software. Then you'll see the main menu of the program.



When you click button “Settings” you’ll see the “Project settings” page. Click “Download demo project” you’ll see the dialog box asking you to confirm your decision. When you click “OK” you’ll see the progress bar. After the download is complete, return to the main menu. Click “Display” button. First you’ll see the connecting dialog then you’ll see the demo project.

